

CONSTRUCTION MATERIALS



Andrés Ortiz S.

Development of National and
International Businesses

aos@revos.cl

 [@revos4cork](https://www.instagram.com/revos4cork)

 [@revoschile](https://www.instagram.com/revoschile)

 [+56 9 4031 3724](https://api.whatsapp.com/send?phone=56940313724)

AOS




We have always been circular.

Amorim Cork Composites - a Corticeira Amorim company - was founded in 1963 to add value to cork not used in the cork stoppers industry and to cork stoppers at the end of their life.

Since then, in the framework of our innovation culture, we have discovered and identified other materials from other industries (industrial symbiosis) to blend with cork and leverage its attributes.

For this purpose, we use different materials from the footwear, automotive and packaging industries. We give a new life to materials that otherwise would be wasted.



Construction Materials

Sustainable insulation boards for thermal and acoustic insulation

Particularly suited to application on walls (exterior, interior and cavity walls), expanded cork agglomerate and cork boards, using different materials, represent a solution offering ecological and sustainable construction with excellent thermal and acoustic insulation properties.

The low thermal conductivity of cork, combined with its ability to store heat and release it slowly, makes it a very efficient thermal insulator, capable of preventing overheating in summer and maintaining a pleasant temperature in the cold winter months.



The **Cork Inside** seal guarantees that this product contains, in its cork formulation, a 100% natural and recyclable material with unique technical properties.

Cork Inside formulations combine cork with other materials and are developed and rigorously tested by Amorim Cork Composites' innovation and engineering teams. **Cork Inside** responds to stringent requirements and guarantees the performance required for its application.

CORK PURE INSULATION BOARDS



Dimension
500x500 mm



Thickness
10 mm



Quantity
4 boards per pack

FEATURES

- Acoustic and thermal insulation boards
- Compatible with different types of wall coverings
- Easy to install
- Durable and eco-friendly
- Recycled and recyclable product

TECHNICAL INFORMATION

Density	> 225 kg/m ³
Tensile Strength	≥ 250 kPa
Compressibility	30–45%
Recovery after impact	≥ 75%

SOUND PROPERTIES

Absorption coefficient	α = 0.36
------------------------	----------

CORK MIX INSULATION BOARDS



Dimension
500x500 mm



Thickness
13 mm



Quantity
4 boards
per pack

FEATURES

- Acoustic and thermal insulation boards
- Compatible with different types of wall coverings
- Easy to install
- Durable and eco-friendly
- Recycled and recyclable product

TECHNICAL INFORMATION

Density	210–270 kg/m ³
Tensile Strength	≥ 400 kPa
Compressibility	20–40%
Recovery after impact	≥ 75%

CORK LIGHT INSULATION BOARDS



Dimension
500x500 mm



Thickness
8 mm



Quantity
4 boards
per pack

FEATURES

- Acoustic and thermal insulation boards
- Compatible with different types of wall coverings
- Easy to install
- Durable and eco-friendly
- Recycled and recyclable product

TECHNICAL INFORMATION

Density	120–150 kg/m ³
Tensile Strength	≥ 200 kPa
Compressibility	45–60%
Recovery after impact	≥ 70%

SOUND PROPERTIES

Absorption coefficient	$\alpha = 0.25$
------------------------	-----------------